

**Underlying Instrument - FKLI**

Cont	Sett	Change	Open	High	Low	Volm	Open Int
OCT 24	1,632.0	-10.00	1,641.0	1642.00	1631.00	12,792	38,860
NOV 24	1,635.0	-10.50	1,644.0	1644.50	1634.50	7,210	6,273
DEC 24	1,639.5	-8.50	1,647.0	1647.00	1638.50	143	1,048
MAR 25	1,628.0	-8.00	1,635.0	1635.00	1627.00	72	451

Calls										Puts								
Ticker	Strike	Last	1D%	High	Low	Volm	OInt	OICl		Ticker	Strike	Last	1D%	High	Low	Volm	OInt	OICl
<b>Oct-24 (5d 10/30/24); CSize 50; IKV4 1630.00</b>																		
IKV4C	1570	62	0	0	0	0	0	0	0	IKV4P	1570	0.1	0	0	0	0	0	0
IKV4C	1580	52	0	0	0	0	0	0	0	IKV4P	1580	0.1	0	0	0	0	0	0
IKV4C	1590	42	0	0	0	0	0	0	0	IKV4P	1590	0.1	0	0	0	0	0	0
IKV4C	1600	32.1	0	0	0	0	0	0	0	IKV4P	1600	0.1	0	0	0	0	0	0
IKV4C	1610	22.4	0	0	0	0	0	0	0	IKV4P	1610	0.4	0	0	0	0	0	0
IKV4C	1620	13.7	0	0	0	0	27	0	0	IKV4P	1620	1.7	0	0	0	0	0	0
IKV4C	1630	6.9	0	0	0	0	60	0	60	IKV4P	1630	4.9	0	0	0	0	1	0
IKV4C	1640	2.7	0	0	0	0	60	0	60	IKV4P	1640	10.7	0	0	0	0	0	0
IKV4C	1650	0.8	0	0	0	0	82	0	82	IKV4P	1650	18.8	0	0	0	0	72	0
IKV4C	1660	0.2	0	0	0	0	121	0	121	IKV4P	1660	28.2	0	0	0	0	148	0
IKV4C	1670	0.1	0	0	0	0	91	0	91	IKV4P	1670	38	0	0	0	0	160	0
IKV4C	1680	0.1	0	0	0	0	0	0	0	IKV4P	1680	48	0	0	0	0	165	0
IKV4C	1690	0.1	0	0	0	0	0	0	0	IKV4P	1690	58	0	0	0	0	180	0
IKV4C	1700	0.1	0	0	0	0	0	0	0	IKV4P	1700	68	0	0	0	0	0	0
IKV4C	1710	0.1	0	0	0	0	0	0	0	IKV4P	1710	78	0	0	0	0	0	0
IKV4C	1720	0.1	0	0	0	0	0	0	0	IKV4P	1720	88	0	0	0	0	0	0
IKV4C	1730	0.1	0	0	0	0	0	0	0	IKV4P	1730	98	0	0	0	0	0	0
IKV4C	1740	0.1	0	0	0	0	0	0	0	IKV4P	1740	108	0	0	0	0	0	0
<b>Nov-24 (35d 11/29/24); CSize 50; IKX4 1634.50</b>																		
IKX4C	1570	65.3	0	0	0	0	0	0	0	IKX4P	1570	0.5	0	0	0	0	0	0
IKX4C	1580	55.8	0	0	0	0	0	0	0	IKX4P	1580	0.9	0	0	0	0	0	0
IKX4C	1590	46.6	0	0	0	0	0	0	0	IKX4P	1590	1.7	0	0	0	0	0	0
IKX4C	1600	38	0	0	0	0	0	0	0	IKX4P	1600	3.1	0	0	0	0	0	0
IKX4C	1610	30	0	0	0	0	20	0	20	IKX4P	1610	5.1	0	0	0	0	0	0
IKX4C	1620	23	0	0	0	0	40	40	40	IKX4P	1620	8	0	0	0	0	0	0
IKX4C	1630	17	0	0	0	0	68	48	48	IKX4P	1630	12	0	0	0	0	0	0
IKX4C	1640	12	0	0	0	0	40	20	20	IKX4P	1640	17	0	0	0	0	24	0
IKX4C	1650	8.1	0	0	0	0	20	0	20	IKX4P	1650	23.1	0	0	0	0	84	20
IKX4C	1660	5.3	0	0	0	0	0	0	0	IKX4P	1660	30.2	0	0	0	0	140	40
IKX4C	1670	3.3	0	0	0	0	0	0	0	IKX4P	1670	38.2	0	0	0	0	80	20
IKX4C	1680	1.9	0	0	0	0	0	0	0	IKX4P	1680	46.8	0	0	0	0	0	0
IKX4C	1690	1.1	0	0	0	0	0	0	0	IKX4P	1690	55.9	0	0	0	0	0	0
IKX4C	1700	0.6	0	0	0	0	0	0	0	IKX4P	1700	65.4	0	0	0	0	0	0
IKX4C	1710	0.3	0	0	0	0	0	0	0	IKX4P	1710	75.1	0	0	0	0	0	0
IKX4C	1720	0.1	0	0	0	0	0	0	0	IKX4P	1720	84.9	0	0	0	0	0	0
<b>Dec-24 (67d 12/31/24); CSize 50; IKZ4 1637.00</b>																		
IKZ4C	1460	178.5	0	0	0	0	0	0	0	IKZ4P	1460	0.1	0	0	0	0	0	0
IKZ4C	1480	158.6	0	0	0	0	0	0	0	IKZ4P	1480	0.1	0	0	0	0	0	0
IKZ4C	1500	138.7	0	0	0	0	0	0	0	IKZ4P	1500	0.1	0	0	0	0	0	0
IKZ4C	1520	118.9	0	0	0	0	0	0	0	IKZ4P	1520	0.1	0	0	0	0	0	0
IKZ4C	1540	99.3	0	0	0	0	0	0	0	IKZ4P	1540	0.3	0	0	0	0	0	0
IKZ4C	1560	80.1	0	0	0	0	0	0	0	IKZ4P	1560	1	0	0	0	0	0	0
IKZ4C	1580	61.8	0	0	0	0	0	0	0	IKZ4P	1580	2.6	0	0	0	0	0	0
IKZ4C	1600	45.1	0	0	0	0	0	0	0	IKZ4P	1600	5.8	0	0	0	0	0	0
IKZ4C	1620	30.8	0	0	0	0	0	0	0	IKZ4P	1620	11.4	0	0	0	0	0	0
IKZ4C	1640	19.5	0	0	0	0	0	0	0	IKZ4P	1640	20	0	0	0	0	0	0
IKZ4C	1660	11.3	0	0	0	0	0	0	0	IKZ4P	1660	31.7	0	0	0	0	0	0
IKZ4C	1680	6	0	0	0	0	0	0	0	IKZ4P	1680	46.2	0	0	0	0	0	0
IKZ4C	1700	2.8	0	0	0	0	0	0	0	IKZ4P	1700	63	0	0	0	0	0	0
IKZ4C	1720	1.2	0	0	0	0	0	0	0	IKZ4P	1720	81.3	0	0	0	0	0	0
IKZ4C	1740	0.5	0	0	0	0	0	0	0	IKZ4P	1740	100.4	0	0	0	0	0	0
<b>Mar-25 (157d 3/31/25); CSize 50; IKH5 1626.00</b>																		
IKH5C	1460	165.9	0	0	0	0	0	0	0	IKH5P	1460	0.2	0	0	0	0	0	0
IKH5C	1480	146.5	0	0	0	0	0	0	0	IKH5P	1480	0.5	0	0	0	0	0	0
IKH5C	1500	127.4	0	0	0	0	0	0	0	IKH5P	1500	1.1	0	0	0	0	0	0
IKH5C	1520	108.7	0	0	0	0	0	0	0	IKH5P	1520	2.2	0	0	0	0	0	0
IKH5C	1540	90.8	0	0	0	0	0	0	0	IKH5P	1540	4	0	0	0	0	0	0
IKH5C	1560	74.1	0	0	0	0	0	0	0	IKH5P	1560	7	0	0	0	0	0	0
IKH5C	1580	58.7	0	0	0	0	0	0	0	IKH5P	1580	11.4	0	0	0	0	0	0
IKH5C	1600	45.2	0	0	0	0	0	0	0	IKH5P	1600	17.6	0	0	0	0	0	0
IKH5C	1620	33.6	0	0	0	0	0	0	0	IKH5P	1620	25.7	0	0	0	0	0	0
IKH5C	1640	24.2	0	0	0	0	0	0	0	IKH5P	1640	36	0	0	0	0	0	0
IKH5C	1660	16.7	0	0	0	0	0	0	0	IKH5P	1660	48.3	0	0	0	0	0	0
IKH5C	1680	11.1	0	0	0	0	0	0	0	IKH5P	1680	62.4	0	0	0	0	0	0
IKH5C	1700	7.1	0	0	0	0	0	0	0	IKH5P	1700	78.1	0	0	0	0	0	0
IKH5C	1720	4.4	0	0	0	0	0	0	0	IKH5P	1720	95.1	0	0	0	0	0	0

Implied volatility for ATM			
	7.01	6.22	12.70
OCT CALL			
OCT PUT	7.01	6.22	12.70
MEAN	7.01	6.22	12.70

	10Days	20Days	30Days	60Days	90Days
Current	12.31	10.55	10.43	11.49	11.63
1 week ago	7.42	13.80	12.51	12.31	12.70
1 month ago	18.61	14.46	14.07	13.71	14.04
3 months ago	9.99	14.21	13.07	17.46	16.65
6 months ago	11.21	17.06	14.96	15.26	16.76

Implied volatility for ATM			
	7.03	6.24	12.66
NOV CALL			
NOV PUT	7.03	6.53	7.66
MEAN	7.03	6.39	10.10

Source: Bloomberg

Kenanga Futures Sdn Bhd (353603-X)

General Line: (603) 2172 3888 Fax: (603) 2172 2729 Email: futures@kenanga.com.my

Disclaimer: This document has been prepared for general circulation based on information obtained from sources believed to be reliable but we do not make any representations as to its accuracy or completeness. Any recommendation contained in this document does not have regard to the specific investment objectives, financial background and the particular needs of any person who may read this document. This document is for the information of addressees only and is not to be taken in substitution for the exercise of judgment and assessment by addressees in relation to any investment decision. Kenanga Futures Sdn Bhd accept no liability whatsoever for any direct or consequential loss arising from any use of this document or any solicitation of an offer to buy or sell any securities/underlying securities. Kenanga Futures Sdn Bhd and its associates, their directors, and/or employees may have positions in, and may effect transactions in securities/underlying securities mentioned herein from time to time in the open market or otherwise, and may receive brokerage fees or act as principal or agent in