

**Underlying instrument - FCPO**

| Cont   | Sett  | Change | Open  | High  | Low   | Volm   | Open Int |
|--------|-------|--------|-------|-------|-------|--------|----------|
| NOV 25 | 4,439 | 8      | 4,438 | 4,479 | 4,410 | 1,931  | 12,225   |
| DEC 25 | 4,476 | -1     | 4,476 | 4,530 | 4,451 | 12,897 | 49,817   |
| JAN 26 | 4,513 | -7     | 4,522 | 4,572 | 4,490 | 33,833 | 63,362   |
| FEB 26 | 4,527 | -6     | 4,535 | 4,584 | 4,504 | 8,919  | 28,472   |
| MAR 26 | 4,518 | -      | 4,520 | 4,569 | 4,494 | 8,799  | 32,334   |
| APR 26 | 4,496 | 3      | 4,495 | 4,538 | 4,471 | 4,313  | 22,472   |
| MAY 26 | 4,470 | 10     | 4,460 | 4,506 | 4,444 | 5,028  | 23,506   |
| JUN 26 | 4,434 | 15     | 4,420 | 4,470 | 4,409 | 2,428  | 12,046   |
| JUL 26 | 4,395 | 22     | 4,380 | 4,427 | 4,366 | 2,651  | 13,186   |
| AUG 26 | 4,362 | 22     | 4,340 | 4,394 | 4,333 | 1,453  | 5,382    |
| SEP 26 | 4,341 | 22     | 4,325 | 4,371 | 4,311 | 1,595  | 12,576   |
| OCT 26 | 4,339 | 22     | 4,360 | 4,360 | 4,310 | 48     | 50       |
| NOV 26 | 4,337 | 22     | 4,320 | 4,335 | 4,313 | 128    | 3,589    |
| JAN 27 | 4,337 | 22     | -     | -     | -     | 2      | 28       |
| MAR 27 | 4,337 | 22     | -     | -     | -     | -      | 4        |
| MAY 27 | 4,337 | 22     | -     | -     | -     | -      | 3        |
| JUL 27 | 4,337 | 22     | -     | -     | -     | -      | -        |
| SEP 27 | 4,337 | 22     | -     | -     | -     | -      | 1        |
| NOV 27 | 4,337 | 22     | -     | -     | -     | -      | -        |
| JAN 28 | 4,337 | 22     | -     | -     | -     | -      | -        |
| MAR 28 | 4,337 | 22     | -     | -     | -     | -      | -        |
| MAY 28 | 4,337 | 22     | -     | -     | -     | -      | -        |
| JUL 28 | 4,337 | 22     | -     | -     | -     | -      | -        |
| SEP 28 | 4,337 | 22     | -     | -     | -     | -      | -        |

**CBOT Soybean oil futures**

| Cont   | Sett  | Change | Open  | High  | Low   | Volm   | Open Int |
|--------|-------|--------|-------|-------|-------|--------|----------|
| DEC 25 | 51.31 | 0.18   | 51.10 | 51.46 | 50.95 | 39,964 | 220,728  |
| JAN 26 | 51.67 | 0.19   | 51.45 | 51.82 | 51.31 | 17,869 | 132,534  |
| MAR 26 | 52.10 | 0.20   | 51.84 | 52.24 | 51.72 | 13,347 | 88,481   |
| MAY 26 | 52.32 | 0.23   | 52.00 | 52.43 | 51.95 | 9,855  | 79,625   |
| JUL 26 | 52.30 | 0.25   | 52.00 | 52.39 | 51.90 | 9,752  | 76,121   |
| AUG 26 | 51.98 | 0.27   | 51.61 | 52.05 | 51.58 | 1,186  | 12,346   |
| SEP 26 | 51.68 | 0.29   | 51.45 | 51.73 | 51.28 | 1,049  | 6,332    |
| OCT 26 | 51.35 | 0.31   | 51.12 | 51.39 | 50.89 | 1,128  | 7,349    |
| DEC 26 | 51.26 | 0.34   | 50.99 | 51.31 | 50.77 | 2,860  | 17,002   |
| JAN 27 | 51.17 | 0.34   | 50.68 | 50.68 | 50.68 | 46     | 367      |
| MAR 27 | 50.97 | 0.31   | 50.61 | 50.62 | 50.48 | 67     | 219      |
| MAY 27 | 50.82 | 0.31   | -     | -     | -     | -      | 114      |
| JUL 27 | 50.64 | 0.31   | -     | -     | -     | -      | 67       |
| AUG 27 | 50.33 | 0.31   | -     | -     | -     | -      | 3        |
| SEP 27 | 50.01 | 0.31   | -     | -     | -     | -      | 14       |

Source : Bloomberg

| Calls  |        |        |      |      |     |      |       |      |            | Puts   |       |      |      |     |      |      |      |
|--|--------|--------|------|------|-----|------|-------|------|------------|--------|-------|------|------|-----|------|------|------|
| Ticker   | Strike | Last   | 1D%  | High | Low | Volm | OInt  | OICH | Ticker     | Strike | Last  | 1D%  | High | Low | Volm | OInt | OICH |
| <b>Jan-26 (20d 11/10/25); CSize 25; KOF6 4513.00</b> |        |        |      |      |     |      |       |      |            |        |       |      |      |     |      |      |      |
| KOF6C 3150   | 3150   | 1360.5 | 0.00 | -    | -   | -    | -     | -    | KOF6P 3150 | 3150   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 3200   | 3200   | 1310.5 | 0.00 | -    | -   | -    | -     | -    | KOF6P 3200 | 3200   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 3250   | 3250   | 1260.5 | 0.00 | -    | -   | -    | -     | -    | KOF6P 3250 | 3250   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 3300   | 3300   | 1211   | 0.00 | -    | -   | -    | -     | -    | KOF6P 3300 | 3300   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 3350   | 3350   | 1161   | 0.00 | -    | -   | -    | -     | -    | KOF6P 3350 | 3350   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 3400   | 3400   | 1111   | 0.00 | -    | -   | -    | -     | -    | KOF6P 3400 | 3400   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 3450   | 3450   | 1061   | 0.00 | -    | -   | -    | -     | -    | KOF6P 3450 | 3450   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 3500   | 3500   | 1011   | 0.00 | -    | -   | -    | -     | -    | KOF6P 3500 | 3500   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 3550   | 3550   | 961    | 0.00 | -    | -   | -    | -     | -    | KOF6P 3550 | 3550   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 3600   | 3600   | 911.5  | 0.00 | -    | -   | -    | -     | -    | KOF6P 3600 | 3600   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 3650   | 3650   | 861.5  | 0.00 | -    | -   | -    | -     | -    | KOF6P 3650 | 3650   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 3700   | 3700   | 811.5  | 0.00 | -    | -   | -    | -     | -    | KOF6P 3700 | 3700   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 3750   | 3750   | 761.5  | 0.00 | -    | -   | -    | -     | -    | KOF6P 3750 | 3750   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 3800   | 3800   | 711.5  | 0.00 | -    | -   | -    | -     | -    | KOF6P 3800 | 3800   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 3850   | 3850   | 662    | 0.00 | -    | -   | -    | -     | -    | KOF6P 3850 | 3850   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 3900   | 3900   | 612    | 0.00 | -    | -   | -    | -     | -    | KOF6P 3900 | 3900   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 3950   | 3950   | 562.5  | 0.00 | -    | -   | -    | -     | -    | KOF6P 3950 | 3950   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 4000   | 4000   | 513    | 0.00 | -    | -   | -    | -     | -    | KOF6P 4000 | 4000   | 1     | 0.00 | -    | -   | -    | 200  | 200  |
| KOF6C 4050   | 4050   | 464    | 0.00 | -    | -   | -    | -     | -    | KOF6P 4050 | 4050   | 2     | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 4100   | 4100   | 416    | 0.00 | -    | -   | -    | -     | -    | KOF6P 4100 | 4100   | 3.5   | 0.00 | -    | -   | -    | 50   | -    |
| KOF6C 4150   | 4150   | 368.5  | 0.00 | -    | -   | -    | -     | -    | KOF6P 4150 | 4150   | 6     | 0.00 | -    | -   | -    | 6    | -    |
| KOF6C 4200   | 4200   | 315    | 0.00 | -    | -   | -    | 204.0 | -    | KOF6P 4200 | 4200   | 10    | 0.00 | -    | -   | -    | 200  | -    |
| KOF6C 4250   | 4250   | 278.5  | 0.00 | -    | -   | -    | -     | -    | KOF6P 4250 | 4250   | 16    | 0.00 | -    | -   | -    | 500  | -    |
| KOF6C 4300   | 4300   | 225    | 0.00 | -    | -   | -    | 600.0 | -    | KOF6P 4300 | 4300   | 24.5  | 0.00 | -    | -   | -    | 400  | -    |
| KOF6C 4350   | 4350   | 198.5  | 0.00 | -    | -   | -    | -     | -    | KOF6P 4350 | 4350   | 35.5  | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 4400   | 4400   | 163    | 0.00 | -    | -   | -    | -     | -    | KOF6P 4400 | 4400   | 50.5  | 0.00 | -    | -   | -    | 60   | -    |
| KOF6C 4450   | 4450   | 131.5  | 0.00 | -    | -   | -    | -     | -    | KOF6P 4450 | 4450   | 68.5  | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 4500   | 4500   | 104    | 0.00 | -    | -   | -    | -     | -    | KOF6P 4500 | 4500   | 91    | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 4550   | 4550   | 80.5   | 0.00 | -    | -   | -    | -     | -    | KOF6P 4550 | 4550   | 117.5 | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 4600   | 4600   | 61     | 0.00 | -    | -   | -    | -     | -    | KOF6P 4600 | 4600   | 148   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 4650   | 4650   | 45.5   | 0.00 | -    | -   | -    | -     | -    | KOF6P 4650 | 4650   | 182   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 4700   | 4700   | 33     | 0.00 | -    | -   | -    | -     | -    | KOF6P 4700 | 4700   | 219.5 | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 4750   | 4750   | 23.5   | 0.00 | -    | -   | -    | -     | -    | KOF6P 4750 | 4750   | 260   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 4800   | 4800   | 16     | 0.00 | -    | -   | -    | -     | -    | KOF6P 4800 | 4800   | 302.5 | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 4850   | 4850   | 11     | 0.00 | -    | -   | -    | -     | -    | KOF6P 4850 | 4850   | 347.5 | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 4900   | 4900   | 7      | 0.00 | -    | -   | -    | -     | -    | KOF6P 4900 | 4900   | 393.5 | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 4950   | 4950   | 4.5    | 0.00 | -    | -   | -    | -     | -    | KOF6P 4950 | 4950   | 441   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 5000   | 5000   | 3      | 0.00 | -    | -   | -    | -     | -    | KOF6P 5000 | 5000   | 489   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 5050   | 5050   | 2      | 0.00 | -    | -   | -    | -     | -    | KOF6P 5050 | 5050   | 538   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 5100   | 5100   | 1      | 0.00 | -    | -   | -    | -     | -    | KOF6P 5100 | 5100   | 587   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 5150   | 5150   | 0.5    | 0.00 | -    | -   | -    | -     | -    | KOF6P 5150 | 5150   | 636.5 | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 5200   | 5200   | 0.5    | 0.00 | -    | -   | -    | -     | -    | KOF6P 5200 | 5200   | 686   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 5250   | 5250   | 0.5    | 0.00 | -    | -   | -    | -     | -    | KOF6P 5250 | 5250   | 736   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 5300   | 5300   | 0.5    | 0.00 | -    | -   | -    | -     | -    | KOF6P 5300 | 5300   | 785.5 | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 5350   | 5350   | 0.5    | 0.00 | -    | -   | -    | -     | -    | KOF6P 5350 | 5350   | 835.5 | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 5400   | 5400   | 0.5    | 0.00 | -    | -   | -    | -     | -    | KOF6P 5400 | 5400   | 885.5 | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 5450   | 5450   | 0.5    | 0.00 | -    | -   | -    | -     | -    | KOF6P 5450 | 5450   | 935.5 | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 5500   | 5500   | 0.5    | 0.00 | -    | -   | -    | -     | -    | KOF6P 5500 | 5500   | 985   | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 5550   | 5550   | 0.5    | 0.00 | -    | -   | -    | -     | -    | KOF6P 5550 | 5550   | 1035  | 0.00 | -    | -   | -    | -    | -    |
| KOF6C 5600   | 5600   | 0.5    | 0.00 | -    | -   | -    | -     | -    | KOF6P 5600 | 5600   | 1085  | 0.00 | -    | -   | -    | -    | -    |
| <b>Feb-26 (50d 12/10/25); CSize 25; KOG6 4527.00</b> |        |        |      |      |     |      |       |      |            |        |       |      |      |     |      |      |      |
| KOG6C 3150   | 3150   | 1371.5 | 0.00 | -    | -   | 0    | 0     | 0    | KOG6P 3150 | 3150   | 0.5   | 0.00 | -    | -   | 0    | -    | -    |
| KOG6C 3200   | 3200   | 1321.5 | 0.00 | -    | -   | -    | -     | -    | KOG6P 3200 | 3200   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOG6C 3250   | 3250   | 1271.5 | 0.00 | -    | -   | -    | -     | -    | KOG6P 3250 | 3250   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOG6C 3300   | 3300   | 1222   | 0.00 | -    | -   | -    | -     | -    | KOG6P 3300 | 3300   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOG6C 3350   | 3350   | 1172   | 0.00 | -    | -   | -    | -     | -    | KOG6P 3350 | 3350   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOG6C 3400   | 3400   | 1122.5 | 0.00 | -    | -   | -    | -     | -    | KOG6P 3400 | 3400   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOG6C 3450   | 3450   | 1072.5 | 0.00 | -    | -   | -    | -     | -    | KOG6P 3450 | 3450   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOG6C 3500   | 3500   | 1023   | 0.00 | -    | -   | -    | -     | -    | KOG6P 3500 | 3500   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOG6C 3550   | 3550   | 973    | 0.00 | -    | -   | -    | -     | -    | KOG6P 3550 | 3550   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOG6C 3600   | 3600   | 923.5  | 0.00 | -    | -   | -    | -     | -    | KOG6P 3600 | 3600   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOG6C 3650   | 3650   | 873.5  | 0.00 | -    | -   | -    | -     | -    | KOG6P 3650 | 3650   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOG6C 3700   | 3700   | 824    | 0.00 | -    | -   | -    | -     | -    | KOG6P 3700 | 3700   | 0.5   | 0.00 | -    | -   | -    | -    | -    |
| KOG6C 3750   | 3750   | 775    | 0.00 | -    | -   | -    | -     | -    | KOG6P 3750 | 3750   | 1     | 0.00 | -    | -   | -    | -    | -    |
| KOG6C 3800   | 3800   | 725.5  | 0.00 | -    | -   | -    | -     | -    | KOG6P 3800 | 3800   | 1.5   | 0.00 | -    | -   | -    | -    | -    |
| KOG6C 3850   | 3850   | 677    | 0.00 | -    | -   | -    | -     |      |            |        |       |      |      |     |      |      |      |

|            |      |       |      |   |       |   |            |      |        |      |   |   |   |
|------------|------|-------|------|---|-------|---|------------|------|--------|------|---|---|---|
| KOG6C 4400 | 4400 | 214   | 0.00 | - | 100.0 | - | KOG6P 4400 | 4400 | 87.5   | 0.00 | - | - | - |
| KOG6C 4450 | 4450 | 184.5 | 0.00 | - | -     | - | KOG6P 4450 | 4450 | 108    | 0.00 | - | - | - |
| KOG6C 4500 | 4500 | 157.5 | 0.00 | - | 50.0  | - | KOG6P 4500 | 4500 | 130.5  | 0.00 | - | - | - |
| KOG6C 4550 | 4550 | 133.5 | 0.00 | - | -     | - | KOG6P 4550 | 4550 | 156    | 0.00 | - | - | - |
| KOG6C 4600 | 4600 | 86    | 0.00 | - | 702.0 | - | KOG6P 4600 | 4600 | 184.5  | 0.00 | - | - | - |
| KOG6C 4650 | 4650 | 93    | 0.00 | - | -     | - | KOG6P 4650 | 4650 | 215.5  | 0.00 | - | - | - |
| KOG6C 4700 | 4700 | 76.5  | 0.00 | - | -     | - | KOG6P 4700 | 4700 | 248.5  | 0.00 | - | - | - |
| KOG6C 4750 | 4750 | 62.5  | 0.00 | - | -     | - | KOG6P 4750 | 4750 | 284.5  | 0.00 | - | - | - |
| KOG6C 4800 | 4800 | 50.5  | 0.00 | - | 100.0 | - | KOG6P 4800 | 4800 | 322.5  | 0.00 | - | - | - |
| KOG6C 4850 | 4850 | 40.5  | 0.00 | - | -     | - | KOG6P 4850 | 4850 | 362    | 0.00 | - | - | - |
| KOG6C 4900 | 4900 | 32    | 0.00 | - | -     | - | KOG6P 4900 | 4900 | 403.5  | 0.00 | - | - | - |
| KOG6C 4950 | 4950 | 25    | 0.00 | - | -     | - | KOG6P 4950 | 4950 | 446.5  | 0.00 | - | - | - |
| KOG6C 5000 | 5000 | 19.5  | 0.00 | - | -     | - | KOG6P 5000 | 5000 | 490.5  | 0.00 | - | - | - |
| KOG6C 5050 | 5050 | 15    | 0.00 | - | -     | - | KOG6P 5050 | 5050 | 536    | 0.00 | - | - | - |
| KOG6C 5100 | 5100 | 11.5  | 0.00 | - | -     | - | KOG6P 5100 | 5100 | 582    | 0.00 | - | - | - |
| KOG6C 5150 | 5150 | 9     | 0.00 | - | -     | - | KOG6P 5150 | 5150 | 629    | 0.00 | - | - | - |
| KOG6C 5200 | 5200 | 6.5   | 0.00 | - | -     | - | KOG6P 5200 | 5200 | 677    | 0.00 | - | - | - |
| KOG6C 5250 | 5250 | 5     | 0.00 | - | -     | - | KOG6P 5250 | 5250 | 725    | 0.00 | - | - | - |
| KOG6C 5300 | 5300 | 3.5   | 0.00 | - | -     | - | KOG6P 5300 | 5300 | 773.5  | 0.00 | - | - | - |
| KOG6C 5350 | 5350 | 2.5   | 0.00 | - | -     | - | KOG6P 5350 | 5350 | 822    | 0.00 | - | - | - |
| KOG6C 5400 | 5400 | 2     | 0.00 | - | -     | - | KOG6P 5400 | 5400 | 871.5  | 0.00 | - | - | - |
| KOG6C 5450 | 5450 | 1.5   | 0.00 | - | -     | - | KOG6P 5450 | 5450 | 920.5  | 0.00 | - | - | - |
| KOG6C 5500 | 5500 | 1     | 0.00 | - | -     | - | KOG6P 5500 | 5500 | 970    | 0.00 | - | - | - |
| KOG6C 5550 | 5550 | 0.5   | 0.00 | - | -     | - | KOG6P 5550 | 5550 | 1019.5 | 0.00 | - | - | - |
| KOG6C 5600 | 5600 | 0.5   | 0.00 | - | -     | - | KOG6P 5600 | 5600 | 1069   | 0.00 | - | - | - |

|  |      |        |      |   |       |   |            |      |        |      |   |   |     |
|--|------|--------|------|---|-------|---|------------|------|--------|------|---|---|-----|
| <b>Mar-26 (80d 1/9/26); CSize 25; KOH6 4518.00</b> |      |        |      |   |       |   |            |      |        |      |   |   |     |
| KOH6C 3100   | 3100 | 1409   | 0.00 | - | -     | - | KOH6P 3100 | 3100 | 0.5    | 0.00 | - | - | -   |
| KOH6C 3150   | 3150 | 1359   | 0.00 | - | -     | - | KOH6P 3150 | 3150 | 0.5    | 0.00 | - | - | -   |
| KOH6C 3200   | 3200 | 1309.5 | 0.00 | - | -     | - | KOH6P 3200 | 3200 | 0.5    | 0.00 | - | - | -   |
| KOH6C 3250   | 3250 | 1260   | 0.00 | - | -     | - | KOH6P 3250 | 3250 | 0.5    | 0.00 | - | - | -   |
| KOH6C 3300   | 3300 | 1210   | 0.00 | - | -     | - | KOH6P 3300 | 3300 | 0.5    | 0.00 | - | - | -   |
| KOH6C 3350   | 3350 | 1160.5 | 0.00 | - | -     | - | KOH6P 3350 | 3350 | 0.5    | 0.00 | - | - | -   |
| KOH6C 3400   | 3400 | 1111   | 0.00 | - | -     | - | KOH6P 3400 | 3400 | 0.5    | 0.00 | - | - | -   |
| KOH6C 3450   | 3450 | 1061.5 | 0.00 | - | -     | - | KOH6P 3450 | 3450 | 0.5    | 0.00 | - | - | -   |
| KOH6C 3500   | 3500 | 1012   | 0.00 | - | -     | - | KOH6P 3500 | 3500 | 0.5    | 0.00 | - | - | -   |
| KOH6C 3550   | 3550 | 962.5  | 0.00 | - | -     | - | KOH6P 3550 | 3550 | 1      | 0.00 | - | - | -   |
| KOH6C 3600   | 3600 | 913.5  | 0.00 | - | -     | - | KOH6P 3600 | 3600 | 1.5    | 0.00 | - | - | -   |
| KOH6C 3650   | 3650 | 864.5  | 0.00 | - | -     | - | KOH6P 3650 | 3650 | 2      | 0.00 | - | - | -   |
| KOH6C 3700   | 3700 | 816    | 0.00 | - | -     | - | KOH6P 3700 | 3700 | 3      | 0.00 | - | - | -   |
| KOH6C 3750   | 3750 | 767.5  | 0.00 | - | -     | - | KOH6P 3750 | 3750 | 4.5    | 0.00 | - | - | -   |
| KOH6C 3800   | 3800 | 719.5  | 0.00 | - | -     | - | KOH6P 3800 | 3800 | 6.5    | 0.00 | - | - | -   |
| KOH6C 3850   | 3850 | 672.5  | 0.00 | - | -     | - | KOH6P 3850 | 3850 | 8.5    | 0.00 | - | - | -   |
| KOH6C 3900   | 3900 | 626    | 0.00 | - | -     | - | KOH6P 3900 | 3900 | 7      | 0.00 | - | - | 201 |
| KOH6C 3950   | 3950 | 580.5  | 0.00 | - | -     | - | KOH6P 3950 | 3950 | 16     | 0.00 | - | - | -   |
| KOH6C 4000   | 4000 | 536    | 0.00 | - | -     | - | KOH6P 4000 | 4000 | 21     | 0.00 | - | - | 70  |
| KOH6C 4050   | 4050 | 492.5  | 0.00 | - | -     | - | KOH6P 4050 | 4050 | 27.5   | 0.00 | - | - | -   |
| KOH6C 4100   | 4100 | 451    | 0.00 | - | -     | - | KOH6P 4100 | 4100 | 35.5   | 0.00 | - | - | -   |
| KOH6C 4150   | 4150 | 410.5  | 0.00 | - | -     | - | KOH6P 4150 | 4150 | 45     | 0.00 | - | - | -   |
| KOH6C 4200   | 4200 | 372    | 0.00 | - | -     | - | KOH6P 4200 | 4200 | 56     | 0.00 | - | - | -   |
| KOH6C 4250   | 4250 | 335.5  | 0.00 | - | -     | - | KOH6P 4250 | 4250 | 69     | 0.00 | - | - | -   |
| KOH6C 4300   | 4300 | 301    | 0.00 | - | -     | - | KOH6P 4300 | 4300 | 64     | 0.00 | - | - | 700 |
| KOH6C 4350   | 4350 | 268.5  | 0.00 | - | -     | - | KOH6P 4350 | 4350 | 101.5  | 0.00 | - | - | -   |
| KOH6C 4400   | 4400 | 238    | 0.00 | - | -     | - | KOH6P 4400 | 4400 | 120.5  | 0.00 | - | - | -   |
| KOH6C 4450   | 4450 | 210    | 0.00 | - | -     | - | KOH6P 4450 | 4450 | 142.5  | 0.00 | - | - | -   |
| KOH6C 4500   | 4500 | 184    | 0.00 | - | 100.0 | - | KOH6P 4500 | 4500 | 166    | 0.00 | - | - | -   |
| KOH6C 4550   | 4550 | 160.5  | 0.00 | - | -     | - | KOH6P 4550 | 4550 | 192.5  | 0.00 | - | - | -   |
| KOH6C 4600   | 4600 | 110    | 0.00 | - | 901.0 | - | KOH6P 4600 | 4600 | 220.5  | 0.00 | - | - | -   |
| KOH6C 4650   | 4650 | 120    | 0.00 | - | -     | - | KOH6P 4650 | 4650 | 251    | 0.00 | - | - | -   |
| KOH6C 4700   | 4700 | 76     | 0.00 | - | 201.0 | - | KOH6P 4700 | 4700 | 283.5  | 0.00 | - | - | -   |
| KOH6C 4750   | 4750 | 87.5   | 0.00 | - | 12.0  | - | KOH6P 4750 | 4750 | 318    | 0.00 | - | - | -   |
| KOH6C 4800   | 4800 | 74     | 0.00 | - | -     | - | KOH6P 4800 | 4800 | 354.5  | 0.00 | - | - | -   |
| KOH6C 4850   | 4850 | 62.5   | 0.00 | - | -     | - | KOH6P 4850 | 4850 | 392.5  | 0.00 | - | - | -   |
| KOH6C 4900   | 4900 | 52.5   | 0.00 | - | -     | - | KOH6P 4900 | 4900 | 432    | 0.00 | - | - | -   |
| KOH6C 4950   | 4950 | 43.5   | 0.00 | - | -     | - | KOH6P 4950 | 4950 | 472.5  | 0.00 | - | - | -   |
| KOH6C 5000   | 5000 | 36     | 0.00 | - | -     | - | KOH6P 5000 | 5000 | 515    | 0.00 | - | - | -   |
| KOH6C 5050   | 5050 | 29.5   | 0.00 | - | -     | - | KOH6P 5050 | 5050 | 558    | 0.00 | - | - | -   |
| KOH6C 5100   | 5100 | 24.5   | 0.00 | - | -     | - | KOH6P 5100 | 5100 | 602.5  | 0.00 | - | - | -   |
| KOH6C 5150   | 5150 | 20     | 0.00 | - | -     | - | KOH6P 5150 | 5150 | 647.5  | 0.00 | - | - | -   |
| KOH6C 5200   | 5200 | 16     | 0.00 | - | -     | - | KOH6P 5200 | 5200 | 693.5  | 0.00 | - | - | -   |
| KOH6C 5250   | 5250 | 13     | 0.00 | - | -     | - | KOH6P 5250 | 5250 | 740    | 0.00 | - | - | -   |
| KOH6C 5300   | 5300 | 10.5   | 0.00 | - | -     | - | KOH6P 5300 | 5300 | 787.5  | 0.00 | - | - | -   |
| KOH6C 5350   | 5350 | 8      | 0.00 | - | -     | - | KOH6P 5350 | 5350 | 835    | 0.00 | - | - | -   |
| KOH6C 5400   | 5400 | 6.5    | 0.00 | - | -     | - | KOH6P 5400 | 5400 | 883    | 0.00 | - | - | -   |
| KOH6C 5450   | 5450 | 5      | 0.00 | - | -     | - | KOH6P 5450 | 5450 | 931    | 0.00 | - | - | -   |
| KOH6C 5500   | 5500 | 4      | 0.00 | - | -     | - | KOH6P 5500 | 5500 | 979.5  | 0.00 | - | - | -   |
| KOH6C 5550   | 5550 | 3      | 0.00 | - | -     | - | KOH6P 5550 | 5550 | 1028.5 | 0.00 | - | - | -   |

|  |      |        |      |   |   |   |            |      |       |      |   |   |     |
|--|------|--------|------|---|---|---|------------|------|-------|------|---|---|-----|
| <b>Apr-26 (112d 2/10/26); CSize 25; KOJ6 4496.00</b> |      |        |      |   |   |   |            |      |       |      |   |   |     |
| KOJ6C 3050   | 3050 | 1433   | 0.00 | - | - | - | KOJ6P 3050 | 3050 | 0.5   | 0.00 | - | - | -   |
| KOJ6C 3100   | 3100 | 1383.5 | 0.00 | - | - | - | KOJ6P 3100 | 3100 | 0.5   | 0.00 | - | - | -   |
| KOJ6C 3150   | 3150 | 1334   | 0.00 | - | - | - | KOJ6P 3150 | 3150 | 0.5   | 0.00 | - | - | -   |
| KOJ6C 3200   | 3200 | 1284.5 | 0.00 | - | - | - | KOJ6P 3200 | 3200 | 0.5   | 0.00 | - | - | -   |
| KOJ6C 3250   | 3250 | 1235   | 0.00 | - | - | - | KOJ6P 3250 | 3250 | 0.5   | 0.00 | - | - | -   |
| KOJ6C 3300   | 3300 | 1185.5 | 0.00 | - | - | - | KOJ6P 3300 | 3300 | 0.5   | 0.00 | - | - | -   |
| KOJ6C 3350   | 3350 | 1136.5 | 0.00 | - | - | - | KOJ6P 3350 | 3350 | 0.5   | 0.00 | - | - | -   |
| KOJ6C 3400   | 3400 | 1087   | 0.00 | - | - | - | KOJ6P 3400 | 3400 | 1     | 0.00 | - | - | -   |
| KOJ6C 3450   | 3450 | 1038   | 0.00 | - | - | - | KOJ6P 3450 | 3450 | 1.5   | 0.00 | - | - | -   |
| KOJ6C 3500   | 3500 | 989    | 0.00 | - | - | - | KOJ6P 3500 | 3500 | 2     | 0.00 | - | - | -   |
| KOJ6C 3550   | 3550 | 940.5  | 0.00 | - | - | - | KOJ6P 3550 | 3550 | 3     | 0.00 | - | - | -   |
| KOJ6C 3600   | 3600 | 892    | 0.00 | - | - | - | KOJ6P 3600 | 3600 | 4     | 0.00 | - | - | -   |
| KOJ6C 3650   | 3650 | 844.5  | 0.00 | - | - | - | KOJ6P 3650 | 3650 | 6     | 0.00 | - | - | -   |
| KOJ6C 3700   | 3700 | 797    | 0.00 | - | - | - | KOJ6P 3700 | 3700 | 8     | 0.00 | - | - | -   |
| KOJ6C 3750   | 3750 | 750    | 0.00 | - | - | - | KOJ6P 3750 | 3750 | 10.5  | 0.00 | - | - | -   |
| KOJ6C 3800   | 3800 | 704    | 0.00 | - | - | - | KOJ6P 3800 | 3800 | 14    | 0.00 | - | - | -   |
| KOJ6C 3850   | 3850 | 658.5  | 0.00 | - | - | - | KOJ6P 3850 | 3850 | 18.5  | 0.00 | - | - | -   |
| KOJ6C 3900   | 3900 | 614    | 0.00 | - | - | - | KOJ6P 3900 | 3900 | 23.5  | 0.00 | - | - | -   |
| KOJ6C 3950   | 3950 | 571    | 0.00 | - | - | - | KOJ6P 3950 | 3950 | 29.5  | 0.00 | - | - | -   |
| KOJ6C 4000   | 4000 | 529    | 0.00 | - | - | - | KOJ6P 4000 | 4000 | 37    | 0.00 | - | - | 130 |
| KOJ6C 4050   | 4050 | 488    | 0.00 | - | - | - | KOJ6P 4050 | 4050 | 46    | 0.00 | - | - | -   |
| KOJ6C 4100   | 4100 | 449    | 0.00 | - | - | - | KOJ6P 4100 | 4100 | 56.5  | 0.00 | - | - | -   |
| KOJ6C 4150   | 4150 | 411    | 0.00 | - | - | - | KOJ6P 4150 | 4150 | 68.5  | 0.00 | - | - | -   |
| KOJ6C 4200   | 4200 | 375.5  | 0.00 | - | - | - | KOJ6P 4200 | 4200 | 82    | 0.00 | - | - | -   |
| KOJ6C 4250   | 4250 | 341    | 0.00 | - | - | - | KOJ6P 4250 | 4250 | 97.5  | 0.00 | - | - | -   |
| KOJ6C 4300   | 4300 | 309    | 0.00 | - | - | - | KOJ6P 4300 | 4300 | 114.5 | 0.00 | - | - | -   |
| KOJ6C 4350   | 4350 | 278.5  | 0.00 | - | - | - | KOJ6P 4350 | 4350 | 134   | 0.00 | - | - | -   |
| KOJ6C 4400   | 4400 | 250    | 0.00 | - | - | - | KOJ6P 4400 | 4400 | 155   | 0.00 | - | - | -   |
| KOJ6C 4450   | 4450 | 223.5  | 0.00 | - | - | - | KOJ6P 4450 | 4450 | 178   | 0.00 | - | - | -   |
| KOJ6C 4500   | 4500 | 199    | 0.00 | - | - | - | KOJ6P 4500 | 4500 | 203   | 0.00 | - | - | -   |
| KOJ6C 4550   | 4550 | 176.5  | 0.00 | - | - | - | KOJ6P 4550 | 4550 | 230   |      |   |   |     |

|            |      |      |      |   |   |   |            |      |        |      |   |   |   |
|------------|------|------|------|---|---|---|------------|------|--------|------|---|---|---|
| KOJ6C 4950 | 4950 | 58   | 0.00 | - | - | - | KOJ6P 4950 | 4950 | 508    | 0.00 | - | - | - |
| KOJ6C 5000 | 5000 | 49.5 | 0.00 | - | - | - | KOJ6P 5000 | 5000 | 549    | 0.00 | - | - | - |
| KOJ6C 5050 | 5050 | 42.5 | 0.00 | - | - | - | KOJ6P 5050 | 5050 | 591.5  | 0.00 | - | - | - |
| KOJ6C 5100 | 5100 | 36   | 0.00 | - | - | - | KOJ6P 5100 | 5100 | 634.5  | 0.00 | - | - | - |
| KOJ6C 5150 | 5150 | 30.5 | 0.00 | - | - | - | KOJ6P 5150 | 5150 | 678.5  | 0.00 | - | - | - |
| KOJ6C 5200 | 5200 | 25.5 | 0.00 | - | - | - | KOJ6P 5200 | 5200 | 723    | 0.00 | - | - | - |
| KOJ6C 5250 | 5250 | 21.5 | 0.00 | - | - | - | KOJ6P 5250 | 5250 | 768.5  | 0.00 | - | - | - |
| KOJ6C 5300 | 5300 | 18   | 0.00 | - | - | - | KOJ6P 5300 | 5300 | 814.5  | 0.00 | - | - | - |
| KOJ6C 5350 | 5350 | 15   | 0.00 | - | - | - | KOJ6P 5350 | 5350 | 861    | 0.00 | - | - | - |
| KOJ6C 5400 | 5400 | 12.5 | 0.00 | - | - | - | KOJ6P 5400 | 5400 | 908    | 0.00 | - | - | - |
| KOJ6C 5450 | 5450 | 10   | 0.00 | - | - | - | KOJ6P 5450 | 5450 | 955.5  | 0.00 | - | - | - |
| KOJ6C 5500 | 5500 | 8.5  | 0.00 | - | - | - | KOJ6P 5500 | 5500 | 1003.5 | 0.00 | - | - | - |

| Implied volatility for ATM |      |       | Previous day | 1D%CHG |
|----------------------------|------|-------|--------------|--------|
| JAN 26                     | CALL | 21.16 | 21.54        | -1.76  |
|                            | PUT  | 21.16 | 21.54        | -1.76  |
|                            | MEAN | 21.16 | 21.54        | -1.76  |
| FEB 26                     | CALL | 20.86 | 21.20        | -1.60  |
|                            | PUT  | 20.82 | 21.20        | -1.79  |
|                            | MEAN | 20.84 | 21.20        | -1.70  |
| MAR 26                     | CALL | 20.43 | 20.60        | -0.83  |
|                            | PUT  | 20.43 | 20.58        | -0.73  |
|                            | MEAN | 20.43 | 20.59        | -0.78  |

|                     | 10Days | 20Days | 30Days | 60Days | 90Days |
|---------------------|--------|--------|--------|--------|--------|
| <b>Current</b>      | 32.22  | 37.35  | 36.19  | 32.68  | 31     |
| <b>1 week ago</b>   | 23.80  | 25.33  | 29.86  | 28.26  | 34     |
| <b>1 month ago</b>  | 22.64  | 28.23  | 26.95  | 35.83  | 35     |
| <b>3 months ago</b> | 42.68  | 44.59  | 40.42  | 40.95  | 43     |
| <b>6 months ago</b> | 26.56  | 56.28  | 48.92  | 37.68  | 34     |

Source: Bloomberg

Kenanga Futures Sdn Bhd (353603-X)

Dealing Desk: (603) 2172 3820 Fax: (603) 2172 2729 Email: futures@kenanga.com.my

Disclaimer: This document has been prepared for general circulation based on information from sources believed to be reliable but we do not make any representations as to its accuracy. Kenanga Futures Sdn Bhd shall not be liable for any negligence, default or lack of care and accepts no liability whatsoever for any direct or consequential loss arising from any use of this document.